

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Appleton GRP LLC

Manufacturer: EGS Mexico S. de R.L. de C.V.

Address: 9377 West Higgins Road
Rosemont, IL 60018-4973


Address: Via Monterrey Matamoros no. 598
Parque Industrial
Milenium C.P. 66626 Apodaca

Country: USA

Country: Mexico

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services NA, Inc., Plano, TX

Control Number: 5015538

Authorized by: 
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Luminaires for Use in Hazardous (Classified) Locations [UL 844:2012 Ed.13+R:11Oct2021]

Electric Luminaires for use in Hazardous Locations [CSA C22.2#137:2018 Ed.2]

Explosive Atmospheres – Part 0: Equipment – General Requirements [UL 60079-0:2019 Ed.7+R:15Apr2020]

Explosive Atmospheres — Part 0: Equipment — General Requirements [CSA C22.2#60079-0:2019 Ed.4]

Standard for Safety Explosive Atmospheres - Part 7: Equipment Protection by Increased Safety "e" [UL 60079-7:2017 Ed.5+R:03Jun2021]

Standard(s): Explosive Atmospheres - Part 7: Equipment Protection by Increased Safety "e" (R2021) [CSA C22.2#60079-7:2016 Ed.2+A1]

Explosive Atmospheres - Part 18: Equipment Protection by Encapsulation "m" [UL 60079-18:2015 Ed.4]

Explosive Atmospheres - Part 18: Equipment Protection by Encapsulation "m" (R2021) [CSA C22.2#60079-18:2016 Ed.2+A1]

Explosive Atmospheres - Part 31: Equipment Dust Ignition Protection by Enclosure "t" [UL 60079-31:2015 Ed.2+R:13Aug2020]

Explosive Atmospheres - Part 31: Equipment Dust Ignition Protection By Enclosure "T" [CSA C22.2#60079-31:2015 Ed.2]

Supplemental Requirements for Luminaires for Installation on Marine Vessels [UL 1598A:2000 Ed.1+R:26Oct2020]

LED Luminaires for use in:

Class I, Division 2, Groups A, B, C and D;
Class II, Division 1, Groups E, F and G;
Class III;

Product: Ex ec IIC Gc;
Ex ec mb IIC Gc (with Zone 1 driver installed);
Class I, Zone 2, AEx ec IIC Gc;
Class I, Zone 2, AEx ec mb IIC Gc (with Zone 1 driver installed);
Ex tb IIIC Db;
Zone 21, AEx tb IIIC Db;

Brand Name: Appleton

AMLG; may be followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

BLL; may be followed by P; followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by M, W or A; followed by N; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

AMLH; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by 3, 5, 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

BHL; may be followed by P; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by V, N, M or W; followed by N; may be followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

Models:

IAMLG; may be followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

IBLL; may be followed by P; followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by M, W or A; followed by N; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

IAMLH; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by 3, 5, 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

IBHL; may be followed by P; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by V, N, M or W; followed by N; may be followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Appleton GRP LLC

Manufacturer: Emerson ATX

Address: 9377 West Higgins Road
Rosemont, IL 60018-4973


Address: Balastierei, Nr. 1S (Urbano Industrial Park), 407310, Gilau

Country: USA

Country: Romania

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services NA, Inc. Plano, TX

Control Number: 5015539

Authorized by: 
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Luminaires for Use in Hazardous (Classified) Locations [UL 844:2012 Ed.13+R:11Oct2021]

Electric Luminaires for use in Hazardous Locations [CSA C22.2#137:2018 Ed.2]

Explosive Atmospheres – Part 0: Equipment – General Requirements [UL 60079-0:2019 Ed.7+R:15Apr2020]

Explosive Atmospheres — Part 0: Equipment — General Requirements [CSA C22.2#60079-0:2019 Ed.4]

Standard for Safety Explosive Atmospheres - Part 7: Equipment Protection by Increased Safety "e" [UL 60079-7:2017 Ed.5+R:03Jun2021]

Standard(s): Explosive Atmospheres - Part 7: Equipment Protection by Increased Safety "e" (R2021) [CSA C22.2#60079-7:2016 Ed.2+A1]

Explosive Atmospheres - Part 18: Equipment Protection by Encapsulation "m" [UL 60079-18:2015 Ed.4]

Explosive Atmospheres - Part 18: Equipment Protection by Encapsulation "m" (R2021) [CSA C22.2#60079-18:2016 Ed.2+A1]

Explosive Atmospheres - Part 31: Equipment Dust Ignition Protection by Enclosure "t" [UL 60079-31:2015 Ed.2+R:13Aug2020]

Explosive Atmospheres - Part 31: Equipment Dust Ignition Protection By Enclosure "T" [CSA C22.2#60079-31:2015 Ed.2]

Supplemental Requirements for Luminaires for Installation on Marine Vessels [UL 1598A:2000 Ed.1+R:26Oct2020]

LED Luminaires for use in:

Class I, Division 2, Groups A, B, C and D;
Class II, Division 1, Groups E, F and G;
Class III;

Product: Ex ec IIC Gc;
Ex ec mb IIC Gc (with Zone 1 driver installed);
Class I, Zone 2, AEx ec IIC Gc;
Class I, Zone 2, AEx ec mb IIC Gc (with Zone 1 driver installed);
Ex tb IIIC Db;
Zone 21, AEx tb IIIC Db;

Brand Name: Appleton

AMLG; may be followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

BLL; may be followed by P; followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by M, W or A; followed by N; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

AMLH; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by 3, 5, 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

BHL; may be followed by P; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by V, N, M or W; followed by N; may be followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

Models:

IAMLG; may be followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

IBLL; may be followed by P; followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by M, W or A; followed by N; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

IAMLH; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by 3, 5, 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

IBHL; may be followed by P; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by V, N, M or W; followed by N; may be followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Appleton GRP LLC

Manufacturer: Emerson Saudi Arabia, LLC

Address: 9377 West Higgins Road
Rosemont, IL 60018-4973

Address: Dhahran Techno Valley - 4713 Ibn
Alhaitham Street – KFUPM
Dhahran 34464-8112

Country: USA

Country: Saudi Arabia

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services NA, Inc., Plano, TX

Control Number: 5025103 **Authorized by:** Pending IFA
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek’s Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek’s responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek’s Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Luminaires for Use in Hazardous (Classified) Locations [UL 844:2012 Ed.13+R:11Oct2021]

Electric Luminaires for use in Hazardous Locations [CSA C22.2#137:2018 Ed.2]

Explosive Atmospheres – Part 0: Equipment – General Requirements [UL 60079-0:2019 Ed.7+R:15Apr2020]

Explosive Atmospheres — Part 0: Equipment — General Requirements [CSA C22.2#60079-0:2019 Ed.4]

Standard for Safety Explosive Atmospheres - Part 7: Equipment Protection by Increased Safety "e" [UL 60079-7:2017 Ed.5+R:03Jun2021]

Standard(s): Explosive Atmospheres - Part 7: Equipment Protection by Increased Safety "e" (R2021) [CSA C22.2#60079-7:2016 Ed.2+A1]

Explosive Atmospheres - Part 18: Equipment Protection by Encapsulation "m" [UL 60079-18:2015 Ed.4]

Explosive Atmospheres - Part 18: Equipment Protection by Encapsulation "m" (R2021) [CSA C22.2#60079-18:2016 Ed.2+A1]

Explosive Atmospheres - Part 31: Equipment Dust Ignition Protection by Enclosure "t" [UL 60079-31:2015 Ed.2+R:13Aug2020]

Explosive Atmospheres - Part 31: Equipment Dust Ignition Protection By Enclosure "T" [CSA C22.2#60079-31:2015 Ed.2]

Supplemental Requirements for Luminaires for Installation on Marine Vessels [UL 1598A:2000 Ed.1+R:26Oct2020]

LED Luminaires for use in:

Class I, Division 2, Groups A, B, C and D;
Class II, Division 1, Groups E, F and G;
Class III;

Product: Ex ec IIC Gc;
Ex ec mb IIC Gc (with Zone 1 driver installed);
Class I, Zone 2, AEx ec IIC Gc;
Class I, Zone 2, AEx ec mb IIC Gc (with Zone 1 driver installed);
Ex tb IIIC Db;
Zone 21, AEx tb IIIC Db;

Brand Name: Appleton

AMLG; may be followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

BLL; may be followed by P; followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by M, W or A; followed by N; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

AMLH; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by 3, 5, 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

BHL; may be followed by P; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by V, N, M or W; followed by N; may be followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

Models:

IAMLG; may be followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

IBLL; may be followed by P; followed by L6, L7 or L8; followed by C, N, A, S, H, M, R, or W; followed by G, F or D; followed by M, W or A; followed by N; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

IAMLH; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by 3, 5, 6 or 7; followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.

IBHL; may be followed by P; followed by L1, L2 or L3; followed by C, N, A, S, H, M, R, or W; followed by G or F; followed by V, N, M or W; followed by N; may be followed by BU or BH; may be followed by F; may be followed by S; may be followed by M; may be followed by *; may be followed by C; may be followed by P or D.